

BOROUGH OF RINGWOOD 2019 WATER QUALITY REPORT (2018 DATA)

June, 2019

Sincerely

Dear Water Customer:

It is our pleasure to provide you with the 2018 Water Quality Report published for the Borough of Ringwood Water System. After you have had a chance to review the report, we hope you will have a better understanding of what is involved in bringing high quality drinking water to your faucet.

The 2018 Water Quality Report provides our customers with information on the sources of their drinking water, the treatment facilities, an explanation of potential contaminants that may be found in drinking water, applicable health information, and concentrations of detected substances with a comparison to drinking water quality regulations. This report is posted on the Borough website and can be accessed at http://www.ringwoodnj.net/wgr.

The Borough of Ringwood is committed to supplying our consumers with high quality drinking water and information about the drinking water that we provide. If you would like additional information, or if you have any questions concerning this report, feel free to call me at 973-475-7101. You can also call the EPA Safe Drinking Water Hotline at 1-800-426-4791 for further information.

Scott Heck, Borough Manager

Director of Public Works/Water Superintendent



BOROUGH OF RINGWOOD COUNCIL AND PROFESSIONALS

<u>Mayor</u>

John Speer

Deputy Mayor

Jim Martocci

Council Members

Ryan Bolton Walter J. Davison Robert A. Ferretti Sean Noonan Kathleen O'Keefe

Water Superintendent

Scott Heck, C.P.W.M.

Licensed Water Operator

Douglas Edler

Sources of Drinking Water

Both tap water and bottled water may come from groundwater (springs, wells) or surface waters (rivers, lakes, ponds, streams, reservoirs). As the water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and can pick up substances resulting from the presence of animals or from human activity.

The Borough of Ringwood presently owns and operates four groundwater wells located in the Borough. The wells include: Well #9R located at Beattie Lane, Well #2 located at Valley Road, Well #3 located at Brooksyde Avenue, and Well #8 located at Cannici Drive.

The Borough also purchases water from the Passaic Valley Water Commission (PVWC). This water is surface water drawn from the Wanaque Reservoir and treated at the North Jersey District Water Supply Commission (NJDWSC) Water Treatment Plant located in Wanaque. The Wanaque watershed supplies the following two reservoirs: the 29.6 billion gallon Wanaque Reservoir and the 7 billion gallon Monksville Reservoir. The Wanaque Reservoir is operated by the NJDWSC.

Approximately 5% of the total water supply to the Borough was purchased from PVWC and 95% was drawn from the Borough's wells. (See Attached).

The New Jersey Department of Environmental Protection (NJDEP) Bureau of Safe Drinking Water Assessment Reports and Summaries for all public water systems are now complete. Further information on the Source Water Assessment Program can be obtained by logging onto NJDEP's source water website at www.state.nj.us/dep/swap or by contacting NJDEP's Bureau of Safe Drinking Water at (609) 292-5550. A summary of NJDEP susceptibility ratings for the Ringwood Water Department sources is included in Appendix A.

Water System Improvements

The Borough has been periodically undertaking improvements to the water system which are necessary to ensure efficient delivery of safe and adequate water supply.

In addition, the water distribution system is currently being modeled. This model will be used to upgrade/modify the distribution system to provide safe drinking water more efficiently.

An opportunity for public participation concerning decisions that may affect water quality is provided during regularly scheduled Council meetings. Council meetings are posted on the Borough website and can be accessed at www.ringwoodnj.net.

Compliance with Drinking Water Standards

In order to ensure the safety of drinking water, the Environmental Protection Agency (EPA) and the NJDEP prescribe regulations which limit the amount of certain contaminants in water provided by public water systems and require water suppliers to monitor and treat for potentially harmful contaminants. Bottled water is similarly regulated by the Food and Drug Administration and must provide the same protection for public health as tap water. Our water is treated according to the EPA's and NJDEP's regulations, and its quality most often shows lower levels than most drinking water standards established by the federal and state agencies.

In April, 2018, the Borough voluntarily had the Borough's potable wells tested for the presence of 1,4-dioxane and all results confirmed that 1,4-dioxane was not present ("non-detect") in any of the wells. The Letter Report and data can be found on the Ringwoodfacts.com website.

Potential Contaminants

The types of contaminants that may be found in drinking water before we treat it include: □ Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife. □ Inorganic Contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater, runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming. Pesticides are chemicals used to destroy insects and rodents. Herbicides are chemicals used to kill weeds. Both contaminants may come from a variety of sources **such** as agriculture, urban storm-water runoff, and residential uses. Radioactive Contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. □ Organic Chemical Contaminants, including synthetic (SOC) and volatile organic chemicals (VOC), which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm-water runoff, and septic systems. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of

disinfectants.

All drinking water, including bottled water, may reasonably be expected to contain naturally occurring minerals and traces of contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **EPA Safe Drinking Water Hotline (1-800-426-4791)**.

Terms and Abbreviations

AL (Action Level) = The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MF/L = million fibers per liter (longer than 10 micrometers)

N/A = Not Applicable

ND = Not Detected

NRTP - Not Required this Period

NS = No Standard

pCi/I = Picocuries per Liter

ppb = parts per billion; (comparable to one minute in two thousand years or 1 cent in \$10,000,000.00)

ppm = parts per million; (comparable to one minute in two years or 1 cent in \$10,000.00)

RUL = Recommended Upper Limit - the highest level of a constituent of drinking water that is recommended in order to protect aesthetic quality

SMLC = (Secondary Maximum Contaminant Levels) Federal drinking water measurements for substances that do not have an impact on health. These reflect qualities such as odor, taste or appearance. Secondary standards are recommendations, not mandates.

 π (Treatment Techniques) = A required process intended to reduce the level of a contaminant in drinking water.

Water Quality Data Table

The table lists all the drinking water contaminants that were detected during the 2018 calendar year. The presence of these contaminants in the water does not indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing performed on samples of water taken from January 1 through December 31, 2018. The State allows the Borough to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old. (See Attached).

Health/Education Information:

Iron: The Recommended Upper Limit for iron is based on unpleasant taste of the water and staining of laundry. Iron is an essential nutrient, but some people who drink water with iron levels well above the Recommended Upper Limit could develop deposits of iron in a number of organs of the body.

Sodium: For healthy individuals, the sodium intake from water is not important because a much greater intake of sodium takes place from salt in the diet. However, sodium levels above the Recommended Upper Limit may be of concern to individuals on a sodium restricted diet.

Special Consideration Regarding Children, Pregnant Women, Nursing Mothers and Others

Children may receive a slightly higher amount of contaminant present in the water than do adults, on a body weight basis, because they may drink a greater amount of water per pound of body weight than do adults. For this reason, reproductive or developmental effects are used for calculating a drinking water standard if these effects occur at lower levels than other health effects of concern. If there is insufficient toxicity information for a chemical (for example, lack of data on reproductive or developmental effects), an extra uncertainty factor may be incorporated into the calculation of the drinking water standard, thus making the standard more stringent, to account for additional uncertainties regarding these effects. In the cases of lead and nitrate, effects on infants and children are the health endpoints upon which the standards are based.

Nitrate: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Lead: If present, elevated levels of lead can cause health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Ringwood water is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When the water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Supply Facilities

Water pumped from the Borough's wells is treated with chemicals for the purposes of disinfection and corrosion control before it is delivered into the system. Treatment for Wells #2 and #9R is provided at individual well stations located near the respective well. Water from Wells #3 and #8 is combined and treated at the Brooksyde Booster Station.

The average daily demand of the system is approximately 0.641 million gallons per day, the maximum daily flow during 2018 was 1.153 million gallons on July 11, 2018. The Ringwood Water System includes four water storage tanks which are located throughout the distribution system and have a combined capacity of over 2 million gallons. The capacity of the wells ranges from 60 gallons per minute to 510 gallons per minute.

APPENDIX A

RINGWOOD WATER DEPARTMENT - PWSID #1611002

Ringwood Water Department is a public community water system consisting of 4 well(s), 0 wells under the influence of surface water, 0 surface water intake(s), 1 purchased ground water source(s) and 1 purchased surface water source(s). This system's source water comes from the following acquifer(s) and/or surface water body(s) (if applicable), glacial sand and gravel, igneous and metamorphic rocks. This system purchases water from the following water system(s) (if applicable): PVWC.

Susceptibility Ratings for Ringwood Water Department Sources

The table below illustrates the susceptibility ratings for the seven contaminant categories (and radon) for each source in the system. The table provides the number of wells and intakes that rated high (H), medium (M), or low (L) for each contaminant category. For susceptibility ratings of purchased water, refer to the specific water system's source water assessment report.

The seven contaminant categories are defined at the bottom of this page. DEP considered all surface water highly susceptible to pathogens; therefore all intakes received a high rating for the pathogen category. For the purpose of Source Water Assessment Program, radionuclides are more of a concern for ground water than surface water. As a result, surface water intakes' susceptibility to radionuclides was not determined and they all received a low rating.

If a system is rated highly susceptible for a contaminant category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the potential for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels. As a result of the assessments, DEP may customize (change existing) monitoring schedules based on the susceptibility ratings.

	PA	тнос	SENS	NU	TRIE	NTS	PES	STICI	DES	vo	LATII	.E	INC	ORGA	NICS	RA	DIO-		RA	DON		DIS	INFECT	ION
										OR	GAN	IC				NU	ICLID	ES				BYI	PRODU	CT
										со	мро	UNDS										PRI	ECURSO	ORS
	Н	М	L	Н	М	L	Н	M	L	Н	M	L	Н	M	L	Н	M	L	Н	M	L	Н	M	L
Wells 4		3	1	2	1	1			4	2		2			4		3	1	1	3			4	_
GUDI-0																					<u> </u>			
Surface Water Intakes - 0																								L

APPENDIX A (CONTINUED)

Pathogens: Disease-causing organisms such as bacteria and viruses. Common sources are animal and human fecal wastes.

Nutrients: Compounds, minerals and elements that aid growth, that are both naturally occurring and man-made. Examples include nitrogen and phosphorus.

Volatile Organic Compounds: Man-made chemicals used as solvents, degreasers, and gasoline components. Examples include benzene, methyl tertiary butyl ether (MTBE) and vinyl chloride.

Pesticides: Man-made chemicals used to control pests, weeds and fungus. Common sources include land application and manufacturing centers of pesticides. Examples include herbicides such as atrazine and insecticides such as chlordane.

Inorganics: Mineral-based compounds that are both naturally occurring and manmade. Examples include arsenic, asbestos, copper, lead and nitrate.

Radionuclides: Radioactive substances that are both naturally occurring and manmade. Examples include radium and uranium.

Radon: Colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to ttp://www.nj.gov/dep/rpp/radon/index.htm or call 800-648-0394.

Disinfection Byproduct Precursors: A common source is naturally occurring organic matter in surface water. Disinfection byproducts are formed when the disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.

Water Quality Data - Concentrations of Contaminants That Were Detected in 2018 Ringwood (PWSID # 1611002)

Vulnerable Populations Statement: Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

1 1 1 1 1 1 1 1 1 1	Neg.	Neg (2014) (2014	rean test positive to treat conform or E. cold.) Naturally present in the environment, leaking septic systems or other runoff. Erosion of natural deposits. Erosion of natural deposits. runoff from orchards runoff from glass and electronic production wastes. Erosion of natural deposits, canoff from orchards runoff from glass and electronic production wastes. Erosion of natural deposits, discharge from metal refineries. & drilling wastes of drilling wastes, discharge from metal refineries. Corrosion of household plumbing Discharge of drilling wastes, discharge from metal refineries; erosion of natural deposits.	Coliforms are bacteria that are used as an indicator that other, potentially-harmful, bacteria may be present. Some people who drink water containing alpha or beta emitters in excess of the M/L over many years may have an increased risk of getting cancer. Some people who drink water containing asbestos in have an increased risk of getting cancer. Some people who drink water containing asbestos in excess of the M/L over many years may have an increased risk of developing benign intestinal polyps. Skin damage or problems with circulatory systems; possible increased risk of developing benign intestinal polyps. Skin damage or problems with circulatory systems; infraits below the age of six months who drink water countaining lead in excess of the M/L could become seriously ill and, il untreased, may die. Symptome: Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barlum in exceedance of the M/L can cause gastrointeshial distributions and off the M/L can cause gastrointeshial distributions and unued evwaltness.
N N N N N N N N N N N N N N N N N N N	Neg.	Neg	Such may partie brace calcam or E.cot) Naturally present in the environment, leaking septic systems or other runoff. Erosion of natural deposits Erosion of natural deposits. Erosion of natural deposits. Erosion of natural deposits. Erosion of natural deposits. Erosion of natural deposits, runoff from orchards runoff from agiess and electronic production wastes. Geoson of natural deposits, discharge from metal refineries. & drilling wastes discharge from metal refineries. & drilling wastes of drilling wastes; discharge from metal refineries; erosion of natural deposits, coal-burning factories.	Codiforms are bacteria that are used as an indicator that other, potentially-harmful, bacteria may be present. Some peeple who drink water containing alpha or beta emitters in excess of the MCL over many years may have an increased risk of getting cancer. Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing bengin intestinal polyps. Skin damage or problems with citicalatory systems; possible increased risk of developing bengin intestinal polyps. Skin damage or problems with citicalatory systems; possible increased risk of developing bengin intestinal polyps. Skin damage or problems with citicalatory systems; infrants below the age of six months who drink water containing lead in excess of the MCL could become containing lead in excess of the MCL could become shortering astrontisetabil distrates. Some people in excess of the MCL ower a short period of time could experience gastronitestabil distrates a Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barium in exceedance of the MCL can cause agestrointestability all mundel ewaltherists.
N 15 0 - 0 0 0 0 0 0 0 0 0		-3 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2014) -4 (2018) -4 (20	Erosion of natural deposits: Erosion of natural deposits: Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Bosso of natural deposits, runoff from orchards runoff from deposits. Erosion of natural deposits, runoff from orchards runoff from disas and electronic production wastes. Erosion of natural deposits, discharge from metal refineries & drilling wastes, discharge from metal refineries. Corrosion of household plumbing Corrosion of natural deposits, coal-burning factories; erosion of natural deposits.	Some people who drink water containing alpha or beta emitters in access of the MCL over many years may have an increased risk of getting cancer. Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing bengin intestinal polypos. Skin damage or problems with circulatory systems; Dossible increased risk of developing bengin intestinal polypos. Skin damage or problems with circulatory systems; lossible increased risk of cancer. Infrants below the ago of six months water water containing lead in excess of the MCL cond critic word rink water containing lead in excess of the MCL over a short period of time could experiencing astroniteabil aldress Some people who drink water that contains copper in excess out the MCL over a short period of time could experiencing astroniteabil aldress Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barium in exceedance of the MCL can cause agstroniteability distributions and muscle weakhess. Long term exposure to Barium at muscle weakhess. Long term exposure to Barium at
N 5 0 41 N 5 0 41 N 5 0 0 41 N 5 0 0 41 N 5 0 0 41 N 7 (Units given in parentheis) N 15 0 Annual 90th N 15 1.3 Annual 90th N 100 100 47 N 4 4 4 40.2 N 100 100 47 N 100 100 47	c1 c	43 (2014) 41 (2014) 41 (2014) 41 (2014) 41 (2014) 41 (2014) 42 (2014) 43 (2014) 44 (2018) 45 (2018) 46 (2018) 47 (2018) 48 (2018) 49 (2018) 49 (2018) 40 (2018) 40 (2018) 40 (2018) 40 (2018) 40 (2018)	Erosion of natural deposits Pregistron of natural deposits Pregistron of natural deposits, runoff from orchards runoff from alass and electronic production wastes. Erosion of natural deposits, discharge from metal refineries & drilling wastes Corrosion of household plumbing Corrosion of natural deposits, discharge from metal refineries; erosion of natural deposits. Discharge of drilling wastes, discharge from metal refineries; erosion of natural deposits Bibeharge from metal refineries; coal-burning factories;	Some people who drink water containing alpha or beta emitters in excess of the MCL own many years may have an increased risk of getting cancer. Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing benjam intestinal polypis. Skin damage or problems with circulatory systems; sossible increased risk of developing benjam intestinal polypis. Skin damage or problems with circulatory systems; loossible increased risk of circulatory systems; londing lead in excess of the MCL could become seriously all and if untreated, may die. Symptoms include shortness of breath and Blue Baby Syndrome. Some people who drink water that contains copper in excess of the MCL over a short period of time could experiencing astronicalial distress. Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle was the exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle agreement and the excess the exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle agreement and the exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and muscle agreement and the exposure to Barium in exceedance of the MCL can cause agstronitestand distrustores and
N 5 5 41 15 10 10 10 10 10 10 1	c1 c1 c2 36.4 c2 36.4 c2 36.4 c2 2.36.4 c2 2.3		Treatments Decay of Sabestos cement water mains and erosion of natural deposits. Erosion of natural deposits, runoff from orchards runoff from glass and electronic production wastes. Erosion of natural deposits, discharge from metal refineries & drilling wastes Corrosion of household plumbing Corrosion of household plumbing Bischarge of drilling wastes, discharge from metal refineries; erosion of natural deposits.	Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing bengin intestinal polyps. Skin damage or problems with circulatory systems; possible increased risk of cancer. Infants below the age of isst months who drink water containing lead in excess of the MCL could become seriously ill and, if untreasted, may die. Symptome include shortness of breath and Blue Blaby Syndrome. Some people who drink water that contains copper in excess of the MCL over a short period of fine could experiencing agracinetizabil distress. Some people who drink water that contains copper in excess out the MCL over a short period of fine could experiencing agracinetizabil distress. Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barium in exceedance of the MCL can cause agrationtestand distrustores and muncle everatives. Long term exposure to Barium at mucle everatives.
N 15 0 0 15 0 0 15 0 0 15 0 0 15 0 0 15 0 0 15			Erosion of natural deposits, runoff from orchards runoff from figures and electronic production wastes. Grosion of natural deposits, discharge from metal refineries & drilling wastes Corrosion of household plumbing Corrosion of household plumbing Bischarge of drilling wastes, discharge from metal refineries; erosion of natural deposits.	Skin damage or problems with circulatory systems; possible increased take of claner. Inflants below the age of six months who drive water containing lead in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms includishortness of breath and Blue Baby Syndrome. Some people who drink water that contains copper in excess of the MCL cower a short period of time could experience gastrointestinal distress. Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Barium in exceedance of the MCL can cause agsstointestinal distrusements and muscle weakness. Long term exposure to Barium in exceedance of the MCL can cause agsstointestinal distrusemes and muscle weakness. Long term exposure to Barium at muscle weakness. Long term exposure to Barium at
B N 15 0 DETECTED PANGE: N 1.3 1.3 N 2 2 2 N 2 2 2 N 4 4 N 4 4 N 4 02 0.2			Expsion of natural deposits, discharge from metal refineries & drilling wastes Corrosion of household plumbing Corrosion of natural deposits erosion of natural deposits erosion of natural deposits erosion of an enter refineries; coal-burning factories;	Interns below the age of six months who drink water contabiling beat in excess of the MCL could become shortness of breath and Blue Baby Syndrome; could shortness of breath and Blue Baby Syndrome; compening the species of the MCL over a short period of time could experience gastronitestatial distress. Some people who drink water that contains copper in excess of the MCL over a short period of time could experience gastronitestatial distress. Some people who drink water that contains copper in excess over many years could suffer liver or isdney damage. In some people, short exposure to Barium in exceedance of the MCL can cause gastronitestand distrubences and muscle weakness. Long term exposure to Barium at muscle weakness. Long term exposure to Barium at muscle weakness.
B N 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3			Corrosion of household plumbing Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits Blockarge from metal refineries; coal-burning factories; sierrical associated associ	Some people who drink water that contains copper in excess of the MCL over a short period of time could experience gastrointesimal distress. Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Banium in exceedance of the MCL can cause gastrointestand distrubences and muscle weakness. Long term exposure to Banium at muckle weakness. Long term exposure to Banium at
8 N 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3			Corrosion of household plumbing Discharge of drilling wastes, discharge from metal refineries; erosion of natural deposits Bischarge from metal refineries; coal-burning factories;	Some people who drink water that contains copper in excess of the MCL over a short period of time could experience gastronitestinal distress. Some people who drink water that contains copper in excess over many years could suffer liver or kidney damage. In some people, short exposure to Bartium in exceedancy of the MCL can cause gastrointestinal disturbances and muscle weakness. Long term exposure to Bartium set.
18 N 4 4 4 100 100 100 108 NA 0.2 0.2	7.0		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits. Bischarge from metal refineries; coal-burring factories; admirative and defores a	in some people, short exposure to Barium in exceedance of the MCL can cause gastrointestinal disturbances and muscle weakness. Long term exposure to Barium at
8 N 2 2 2 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Discharge of driling wastes, discharge from metal refineries; erosion of natural deposits erosion of natural deposits. Discharge from metal refineries; coal-burning factories; adeletical association and defore and defor	In some people, short exposure to Barium in exceedanc of the MCL can cause gastrointestinal disturbances and muscle weakness. Long term exposure to Barium at
18 N 4 4 4 100 100 100 100 100 100 100 100 1				levels above the MCL may cause high blood pressure.
018 N 100 100			electrical, aerospace, and defense industries	Some people who drink water containing beryilium well in excess of the MCL over many years could develop intestinal lesions.
0.2 0.2 0.2 0.2	<7 <7	2> 2	Discharge from steel and pulp mills; erosion of natural deposits	Some people who use water containing chromium well in excess of the MCL over many years may experience allergic dermatitis.
	<0.25 <0.25	0.06	Naturally occuring element, aluminum compounds used during the treatment process	Large aluminum intake may be connected with nerve danage-boole with fidney danage are susceptible to aluminum toxicity. A correlation between aluminum uptake and an increased number of Alzheimer cases is suspected. Increased aluminum thake may also cause osteonaleans.
Z	2.8	0.351	Run-off from fertilizer and natural sources	Infants below the age of six months who drink water containing nitrate in excess of the MCL could become expensival and if untreated, may die. Symptoms include shortness of breath and Blue Baby Syndrome.
50		39.5	Road salt from deleing operations and/or treatment techniques.	For healthy individuals, the sodium intake from water is not important, because a much greater intake of sodium takes place from salt in the diet. However, sodium levels above the RUL might be of concern to individuals on sodium restricted diets.
NA	45 - 59 N/			
50 ppm)-2018 NA 250 250 10	18 12	7.65	Naturally occuring substance in all drinking water	Sulfate is a secondary standard and is not considered a
ron (ppm)-2018 NA 0.3 <0.2	<0.2		Naturally occuring substance in all drinking water	Iron is an essential nutrient but some people who drink water with iron levels well above the recommended upper limit could develop deposits of iron in a number of organs of the body.
018 NA	<0.04 <0.04	0.0023	Naturally occuring substance in all drinking water	Manganese is a secondary standard and is not considered a health risk
Chloride (ppm)-2018 NA 250 250 92	141 108	8 71.4	Natural and man made component in many salts	Chloride is a secondary standard and is not considered a health risk
Haloacetic Acids	Distribution System Locational Running Annual Average = 4 ug/L	ng 27.5	By-product of drinking water chlorination	Some people who drink water containing HAAs in excess of the MCL over many years may experience problems
	Distribution System Locational Running Annual Average = 9 ug/L		By-product of drinking water chlorination	Some people who drink water containing THM/s in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer.
DETECTED RANGE:	5-13	39-46		

PASSAIC VALLEY WATER COMMISSION (PVWC) PWS ID NJ1605002 - 2018 WATER QUALITY DATA

one to the second				Water Treatment Plant Results			
PRIMARY CONTAMINANTS	Compliance Achieved	MCLG	MCL	NJDWSC Wanaque WTP PWS ID NJ1613001	TYPICAL SOURCE		
TURBIDITY AND TOT	AL ORGANIC CARE	ON		Highest Result (Average)			
	Yes	NA	TT = 1	0.41 (0.06)			
Turbidity, NTU*	Vac		TT = percentage of	Lowest Monthly Percentage of Samples Meeting the Turbidity Limits	Soil runoff.		
	Yes	NA	samples <0.3 NTU (min 95% required)	99.9%			
	* Turbidity is a m hinder the effecti	easure of th veness of di	e cloudiness of the sinfectants.	e water, and is monitored as an indicator of v	vater quality. High turbidity can		
Total Organic				Removal Ratio			
Carbon, %	Yes	NA	TT = removal ratio	1.1 (RAA) 1.0 - 1.3	Naturally present in the environment.		
INORGANIC CONTAM	IINANTS			Highest Result			
Barium, ppm	Yes	2	2	0.0145	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.		
Nitrate, ppm	Yes	10	10	0.351	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.		

WAIVER INFORMATION

The Safe Drinking Water Act regulations allow monitoring waivers to reduce or eliminate the monitoring requirements for asbestos, volatile organic chemicals, and synthetic organic chemicals. NJDWSC was granted a monitoring waiver for synthetic organic chemicals for the 2017-2019 monitoring period.

SOURCE WATER ASSESSMENT

NJDEP has prepared Source Water Assessment reports and summaries for all public water systems. The Source Water Assessment for the NJDWSC system (PWS ID 1613001) can be obtained by accessing NJDEP's source water assessment web site at http://www.nj.gov/dep/watersupply/swap/index.html or by contacting NJDEP's Bureau of Safe Drinking Water at 609-292-5550. If a system is rated highly susceptible for a contamination category, it does not mean a customer is – or will be – consuming contaminated water. The rating reflects the potential for contamination of a source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any of those contaminants are detected at frequencies and concentrations above allowable levels. The source water assessments performed on the intakes for each system list the following susceptibility ratings for a variety of contaminants that may be present in source waters:

Intake Susceptibility Ratings	Pathogens	Nutrients	Pesticides	Volatile Organic Compounds	Inorganic Contaminants	Radionuclides	Radon	Disinfection Byproduct Precursors
NJDWSC 5 Surface Water	5-High	5-High	2-Medium, 3-Low	5-Medium	5-High	5-Low	5-Low	5-High

SECONDARY PARAMETERS - TREATMENT PLANT EFFLUENT

			naque WTP 1613001
Contaminant	N.J. Recommended Upper Limit (RUL)	Result	RUL Achieved
Alkalinity, ppm	NA	38	NA
Aluminum, ppb	200	60	Yes
Chloride, ppm	250	71	Yes
Color, CU	10	2	Yes
Corrosivity	Non-Corrosive	Non-Corrosive	Yes
Hardness (as CaCO ₃), ppm	250	52	Yes
Hardness (as CaCO ₃), grains/gallon	15	3	Yes

		10	Van
Iron, ppb	300	12	Yes
Manganese, ppb	50	2	Yes
рН	6.5 to 8.5 (optimum range)	8.0	Yes
Sodium, ppm	50	40	Yes
Sulfate, ppm	250	8	Yes
Total Dissolved Solids, ppm	500	177	Yes
Zinc, ppb	5,000	16	Yes

DEFINITIONS of TERMS and ACRONYMS

<u>AL:</u> Action Level; the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

CDC: United States Centers for Disease Control and Prevention

CU: Color unit

Disinfection By-product Precursors: A common source is naturally-occurring organic material in surface water. Disinfection by-products are formed when the disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (DBP precursors) present in surface water.

EPA: United States Environmental Protection Agency

MCL: Maximum Contaminant Level; the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG: Maximum Contaminant Level Goal; the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Microbial Contaminants/Pathogens: Disease-causing organisms such as bacteria, protozoa, and viruses, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife. Common sources are animal and human fecal wastes. These contaminants may be present in source water.

MRDL: Maximum Residual Disinfectant Level; the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG: Maximum Residual Disinfectant Level Goal; the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contamination.

NA: Not applicable

ND: Not detected above the minimum reporting level.

NJDEP: New Jersey Department of Environmental Protection NJDWSC: North Jersey District Water Supply Commission

NTU: Nephelometric Turbidity Unit

Nutrients: Compounds, minerals and elements that aid growth, which can be either naturally occurring or man-made. Examples include nitrogen and phosphorus.

ppb: parts per billion (approximately equal to micrograms per liter)ppm: parts per million (approximately equal to milligrams per liter)

PWS ID: Public Water System Identification
PVWC: Passaic Valley Water Commission

RAA: Running Annual Average

Radon: Colorless, odorless, cancer-causing gas that occurs naturally in the environment.

<u>RUL</u>: Recommended Upper Limit; the highest level of a constituent of drinking water that is recommended in order to protect aesthetic quality.

<u>RUL Achieved</u>: A "YES" entry indicates the State-recommended upper limit <u>was not</u> exceeded. A "NO" entry indicates the State-recommended upper limit was exceeded.

TON: Threshold Odor Number

TT: Treatment Technique; a required process intended to reduce the level of a contaminant in drinking water.

WTP: Water Treatment Plant

ADDITIONAL INFORMATIONAL RESOURCES

EPA Drinking Water website: www.epa.gov/safewater
NJDEP Water Supply website: www.nj.gov/dep/watersupply
American Water Works Association (AWWA) website: www.awwa.org

EPA Safe Drinking Water Hotline: 800-426-4791
NJDEP Bureau of Safe Drinking Water: 609-292-5550
AWWA New Jersey Section website: www.njawwa.org